



REV	MODIFICATION	DATE	DRAW
B	EN-06-0344	95/03/28	TERENCE
C	EN-06-1002	95/10/03	TERENCE
D	EN-07-0324	96/03/29	TERENCE

- NOTES:
- MATERIAL:
 BASE: NYLON 9T BLACK: 30% GLASS FIBER: UL 94V-0
 COVER: NYLON 9T BLACK: 30% GLASS FIBER: UL 94V-0
 ① TERMINAL 1.PHOSPHOR BRONZE C5210R-H T=0.2±0.01mm
 ② TERMINAL 2.PHOSPHOR BRONZE C5210R-H T=0.2±0.01mm
 - FINISH:
 ① 05 MICROINCH GOLD PLATED IN CONTACT AREA.
 ② 05 MICROINCH GOLD PLATED IN CONTACT AREA.
 100 MICROINCH ~150 MICROINCH TIN ON SOLDER TAILS,
 50 MICROINCH NICKEL UNDERPLATED ALL OVER.
 - BURR IS 0.05 MAX.
 - THE RADIUS ARE 0.15 MAX UNLESS SPECIFIED

Reference dimention for PCB layout

DIMENSION IN mm [Inch]		PROD. SPEC.
TOLERANCE UNLESS OTHERWISE SPECIFIED		PKG. SPEC.
.X±0.25	X.*± 3*	APPROVE
.XX±0.25	.X*±	CHECK
.XXX±0.20	.XX*±	DRAW

C		ALMITA CO., LTD.	
TITLE		SIM CARD ACCEPTOR	CUSTOMER DRAWING
SMT TYPE SLIDING			
FILE NO.	DWG NO. SMCMB-20805B102S		
SIZE	A4	PROJ.	SHEET 1 / 1
SCALE		1.5:1	REV D

LEAD FREE